




ALPENA COUNTY Community Consultation Officers (CCO) Meeting

November 10, 2020



FEMA

Features of the Zoom Platform



FEMA

RiskMAP
Increasing Resilience Together



TODAY'S AGENDA

Reviewing the Updated Flood Risk Data for Your County

Next Steps in the Map Adoption Process


Understanding Floodplain Management Ordinance Requirements

Understanding Flood Insurance

Hazard Mitigation Planning


The National Flood Insurance Program

The National Flood Insurance Program, or NFIP, balances three related areas that must support each other.



FEMA

The Status of this Study



Reviewing the Updated Flood Risk Data for your County



FEMA

RiskMAP
Increasing Resilience Together

Why is FEMA Updating Your Flood Maps?


The Great Lakes Coastal Flood Study provides updated flood risk information for areas around each of the Great Lakes using uniform methodology, updated terrain data, and modern wave modeling techniques.

Many factors contribute to flood map revisions:

- Population growth & increased development
- Movement in rivers & shorelines
- Changing technology and improved modeling techniques and data



Program Goals and Status




FEMA

RiskMAP
Increasing Resilience Together

The Great Lakes Coastal Flood Study Approach

Regional Study Approach

- Lakewide water level and wave analysis
 - 150 storms from 1960 to 2009
 - Modeling conducted by STARR in 2017
- Greater consistency in assumptions
- Reduces number of boundary conditions



Wave Runup Schematic


from FEMA Great Lakes Coastal Guidelines "D.3" Update

Local/County-Level Activities

- Mapping tasks performed at the county level
- Nearshore wave transformations
- Episodic erosion
- Wave setup and runup
- Overland wave propagation

Flood Study Overview– Alpena County

- Coastal detailed (Zone AE/VE/AO/AH) study – 80 shoreline miles
- Tie-Ins to approximate (Zone A) study – 2 Riverine Streams



The Great Lakes Coastal Flood Study in Alpena County

Alpena County Coastal Flood Hazard Analysis:

- 80 miles of coastline
- 115 coastal transects
- Transects placed at representative shoreline reaches based on:
 - Topography
 - Exposure
 - Shoreline material
 - Upland development
- Integration of riverine and coastal Special Flood Hazard Areas
- Topography
 - 2015 FEMA Digital Elevation Model (DEM)


The Great Lakes Coastal Flood Study in Alpena County



FEMA

RiskMAP
Increasing Resilience Together

The Great Lakes Coastal Flood Study in Alpena County



The Great Lakes Coastal Flood Study in Alpena County




The Great Lakes Coastal Flood Study in Alpena County



FEMA

RiskMAP
Increasing Resilience Together

The Great Lakes Coastal Flood Study in Alpena County



FEMA

RiskMAP
Increasing Resilience Together


The Great Lakes Coastal Flood Study in Alpena County



FEMA

RiskMAP
Increasing Resilience Together


The Great Lakes Coastal Flood Study in Alpena County



FEMA

RiskMAP
Increasing Resilience Together

Lake Huron Water Levels



FEMA

RiskMAP
Increasing Resilience Together

Special Flood Hazard Areas (SFHAs)

Zone VE

- Coastal high-hazard zone, where wave action and/or high-velocity water can cause structural damage during the 1-percent-annual-chance flood
- Wave heights or wave runup ≥ 3 feet
- Subdivided into elevation zones, and BFEs are assigned

Zone AE


- Applied in areas subject to lower wave energy or inundation by the 1-percent-annual-chance flood
- Wave heights or wave runup < 3 feet
- Subdivided into elevation zones, and BFEs are assigned

Zone AO

- Applied in areas of sheet-flow and shallow flooding
- Given an associated depth instead of a BFE


Zone AH

- Applied in areas of ponding
- Assigned a BFE




Wave Runup Mapping

- Wave runup is very sensitive to shoreline characteristics, especially slope
- Single Base Flood Elevation (BFE)
- Gutters perpendicular to the shore divide the BFEs
- Transitional zones capture changes in shoreline characteristics between transects



Alpena Flood Hazard Information

Wave Overtopping



- Wave overtopping occurs when the wave runup elevation exceeds the barrier's crest elevation
- When overtopping occurs, the zone behind the barrier is designated as:
 - AE if the landward slope is positive
 - BFE established based on runup elevation
 - AO if the landward slope is negative
 - Sheet flow depth established
 - AH if the landward slope is negative and flow is trapped behind a barrier
 - BFE established
- The overtopping rate determines VE splash zones and sheet flow depths




FEMA

Photo: Green, M. Spencer. AP Photo. 2012.

http://journalstar.com/ap/business/two-story-waves-on-great-lakes-halt-shipping/article_bcf2bb34-b528-52f5-8cd4-0c57e7ea8922.html

RiskMAP
Increasing Resilience Together

Overland Wave Propagation Mapping



FEMA


RiskMAP
Increasing Resilience Together

Scope of Work: Riverine-Coastal SFHA Integration

ALPENA COUNTY


- **Approximate Zone A**

- Thunder Bay River (Reach 1)
- Lake Huron Coastline Tributary 9



Scope of Work: Integrating Riverine and Coastal Data


Updated Tie-In to Thunder Bay River (Reach 1) Zone A



➡ Limits of coastal flood effects from Lake Huron are shown on the FIRM (white line)

Scope of Work: Integrating Riverine and Coastal Data

Updated Tie-In to Lake Huron Coastline Tributary 9 Zone A



➡ Limits of coastal flood effects from Lake Huron are shown on the FIRM (white line)

Summary of Letters of Map Change (LOMCs) for Alpena County

SOMA-1

PRELIMINARY SUMMARY OF MAP ACTIONS

Community: ALPENA, CITY OF

Community No: 280010

2A. LOMCs on Revised Panels

LOMC	Case No.	Date Issued	Project Identifier	Original Panel	Current Panel
LOMA	02-05-0235A	10/28/2001	HITCHCOCK'S 2ND ADDITION, BLOCK A, LOTS 1 & 2; 560 STATE STREET	2600100005B	26007C0262E
LOMA	02-05-0774A	12/21/2001	HITCHCOCK'S 2ND SUBD., PART OF BLK CD, LOT 6 & BLK E, LOT 1; 746 STATE STREET	2600100005B	26007C0262E
LOMA	03-05-2010A	03/14/2003	730 SOUTH STATE AVENUE	2600100005B	26007C0262E
LOMA	03-05-5292A	09/29/2003	HITCHCOCK'S FIRST ADDT, BLK 4, LOT 8; 424 SOUTH STATE AVE	2600100005B	26007C0262E
LOMA	06-05-BB21A	03/18/2006	HITCHCOCK'S 1ST ADDITION, BLOCK 4, LOT 16 - 512 SOUTH STATE STREET (MI)	2600100005B	26007C0262E
LOMA	06-05-BP46A	06/20/2006	HITCHCOCK'S 2ND ADDITION, BLOCK E, LOT 1 - 750 SOUTH STATE STREET (MI)	2600100005B	26007C0262E
LOMA	09-05-2392A	04/18/2009	HITCHCOCK'S 2ND ADDITION, BLOCK F, LOTS 7 & 8 - 1006 SOUTH STATE	2600100005B	26007C0262E
LOMA	11-05-1099A	01/08/2011	PORTION OF LOT 4, BLOCK F, HITCHCOCK'S 2ND ADDITION - 918 SOUTH STATE STREET	2600100005B	26007C0262E
LOMA	12-05-3921A	04/19/2012	PORTION OF LOT 10, BLOCK 6 - 215 WEST CHISHOLM STREET	26007C0260D	26007C0260E
LOMA	12-05-5316A	04/30/2012	Block 19 - 5085 E. Mery Bay Road	26007C0260D	26007C0260E
LOMA	13-05-2152A	01/22/2013	606 WEST OLDFIELD STREET	26007C0260D	26007C0260E
LOMA	13-05-2153A	01/22/2013	LOT 11, BLOCK 70 - 511 WEST OLDFIELD STREET	26007C0260D	26007C0260E
LOMA	13-05-3052A	02/12/2013	A PORTION OF LOT 10, BLOCK 6 - 213 WEST CHISHOLM STREET	26007C0260D	26007C0260E
LOMA	13-05-2904A	02/26/2013	405 RIVER STREET	26007C0260D	26007C0260E
LOMA	13-05-4350A	04/11/2013	LOT 7, BLOCK 4 - 133 WEST CHISHOLM STREET	26007C0260D	26007C0260E

All LOMCs were addressed in the preliminary Summary of Map Actions (SOMA) and placed into one of four categories:

1. Incorporated
2. Not Incorporated (validated)
 - LOMCs on Revised Panels
 - LOMCs on Unrevised Panels
3. Superseded
4. To be redetermined

Be sure to review the preliminary SOMA for completeness

If you notice a LOMC is missing from the list, submit the omission with your comments




Next Steps in the Map Adoption Process



FEMA

RiskMAP
Increasing Resilience Together

Timeline for Alpena County Coastal Update



FEMA

RiskMAP
Increasing Resilience Together

4-Step Pre-Adoption Process



**Inform the
Community**



**Gather Comments
and Additional Data**



Appeal Process



LFD Issued



FEMA

RiskMAP
Increasing Resilience Together

#1: Inform the Community – December 2020 Open House

- **Viewing via paper maps or map viewer**
- **Opportunity to share program information with property owners**
- **Comment sheets collected**
- **Attendees notified as process moves forward**
- **Open House:**
 - **Monday, December 7, 2020 (5:00 pm – 7:00 pm ET)**
 - **Tuesday, December 8, 2020 (5:00 pm – 7:00 pm ET)**
 - **Thursday, December 10, 2020 (5:00 pm – 7:00 pm ET)**



#2: Gather Community Comments

- **Homeowners may choose to submit comments through community officials**
- **FEMA requests that community officials forward the initial round of comments to FEMA no later than December 10, 2020**




#3: Appeal Process

- **Appeal Period is 90 days**
- **Publication of notice in Federal Register**
 - Notification to communities by letter, including local newspaper publications
- **All are welcome to submit information**
 - FEMA recommends directing comments through local community officials to provide a consolidated picture
- **Appeals should be submitted to STARR II or FEMA Region V**
 - Additional instructions will be provided to community CEOs
- **FEMA will evaluate all appeals and comments for resolution after the appeal period**



#4: Issuing the Letter of Final Determination



Understanding Floodplain Management Ordinance Requirements



FEMA

RiskMAP
Increasing Resilience Together

Participation in the National Flood Insurance Program

- The NFIP is a voluntary program.
- Participation requires that communities adopt and enforce floodplain management regulations.
- The floodplain management regulations need to be based on the risk data provided by FEMA (the FIRM and FIS report).
- Participation in the NFIP makes federal flood insurance available to insure buildings and personal property inside buildings within your communities.
- Federally regulated lenders require flood insurance coverage for buildings in the SFHA that secure loans; insurance is also required as a condition of receiving Federal financial assistance to purchase, repair, improve, or rehabilitate buildings within the SFHA.
- Many forms of disaster assistance are either a type of Federal loan or other Federal financial assistance.

Ordinance Adoption During Map Updates

Timeline Prior to Effective Date

- 6 months prior: FEMA 6-month LFD Letter
- 4 months prior: draft ordinance (suggested)
- 3 months prior: FEMA 90-day reminder letter
- 1 month prior: FEMA 30-day reminder letter

Community must update its ordinance to reference the effective date of the FIRM and FIS report before the end of the 6-month period (or community may be suspended from NFIP).



Where to Find Minimum NFIP Requirements

- NFIP Minimum Floodplain Management Standards are found in Part 60 of Title 44, Code of Federal Regulations
- Coastal-specific standards are found in Part 60.3(e)
- In Michigan, pursuant to the Stille-DeRosset-Hale Single State Construction Code Act of 1972, the Michigan State Building Code applies throughout the state.
- With the community ordinance referencing the applicable FIRM and FIS, the Michigan Building Code meets NFIP minimum floodplain standards.
 - 2015 I-Codes checklist: https://www.fema.gov/sites/default/files/2020-08/fema_nfip-2015-i-codes-asce-24-checklist.pdf
 - 2018 I-Codes checklist: https://www.fema.gov/media-library-data/1516284132591-af5c54ba83e6a5e0d36aeae2c45f8d0/NFIP_Checklist_2018_I-Code_Dec2017.pdf



FEMA

RiskMAP
Increasing Resilience Together


Differences in Development Requirements

A Zones

- Fill is allowed outside the floodway, or if it can be shown not to cause a rise in the BFE.
- Fully enclosed foundation walls (flood openings required) are allowed.
- The lowest floor must be elevated to or above the BFE.
- An as-built lowest floor elevation is required to be on file with the permit records.

VE Zones (and AE Zones on the water side of a LiMWA)

- Fill is not allowed for structural support of buildings.
- Only open foundations on columns or piles, free of obstructions, or breakaway walls are allowed below the BFE.
- Bottom of lowest horizontal structural member to or above BFE, with an as-built elevation on file.
- A Professional Engineer or Architect shall certify the design of the structure, including wind loading, and that must be on file with the permit records.



LiMWA (Limit of Moderate Wave Action) on the Map

- The Community Rating System (CRS) benefits communities requiring VE zone construction standards in areas defined by the LiMWA or areas subject to waves greater than 1.5 feet.
- There is currently no distinction for insurance purposes between Zone AE and a “coastal” Zone AE on the water side of the LiMWA.



Understanding Flood Insurance




FEMA

RiskMAP
Increasing Resilience Together

Flood Insurance Basic Concepts

- Structures built on or before **December 31, 1974**, or before the effective date of the initial FIRM of the community, whichever is later.

- Structures built after **December 31, 1974**, OR on or after the effective date of the initial FIRM of the community, whichever is later.



Flood Insurance Basic Concepts

- **Pre-FIRM (subsidized) rates**
 - For structures built before the first maps of the community
 - Do not reflect the structure's true risk negatively or positively
 - Based on building type and occupancy
 - Subsidies are being phased out, with some categories increasing toward full risk more quickly
- **Post-FIRM (actuarial) rates**
 - Uses the structure's elevation information to determine risk
 - Based on the difference between the BFE and elevation of the lowest floor
 - Required for Post-FIRM structures, and optional for Pre-FIRM structures with an elevation certificate

Effects of New Flood Zones on Flood Insurance

- **The new FIRM may:**
 - Map a property into the SFHA for the first time
 - **Lender** may require them to get an insurance policy
 - Remove a property from the SFHA
 - **Lender** may drop the insurance requirement
 - Change the flood zone affecting the property
 - From an A zone to a VE zone (or from Zone AE to Zone AO, etc.)
 - Rating will not change unless the policy is allowed to lapse or the building is substantially improved
 - If the new zone results in a less costly premium, the policy can be endorsed to revise the rate to the new zone with a prorated refund for the difference for the remainder of the policy year. Insured needs to ask the **AGENT** to do this!

Insurance Rating and Product Possibilities

- **Newly Mapped (Zone A, AE, AO, and AH)**
 - Pricing starts at Preferred Risk Rates - bundled standard Preferred Risk Policy for the first year
 - Multiplier added after the first year
 - Must be newly mapped into an SFHA from zone on the previous FIRM
 - Must have two or fewer losses paid by NFIP or disaster assistance
- **Grandfathering**
 - Keeps lower rate zone and/or BFE
- **Two Ways**
 - Continuous coverage (pre- and post-FIRM)
 - Coverage obtained prior and through a map change
 - Built in compliance
 - **Post-FIRM ONLY**
 - Built in compliance with the map at the time
 - Not substantially improved later

NFIP Floodplain Management and Insurance

Frank Shockey
Senior NFIP Specialist
FEMA Region V
312-408-5321

frank.shockey@fema.dhs.gov

Mollie Rosario
NFIP Specialist
FEMA Region V
312-408-4458

mollie.rosario@fema.dhs.gov

James Sink
Regional Flood Insurance Liaison
FEMA Region V
312-408-4421

james.sink@fema.dhs.gov

Matt Occhipinti
Michigan NFIP Coordinator
Michigan EGLE
616-204-1708

occhipintim@michigan.gov



Hazard Mitigation Planning



FEMA

RiskMAP
Increasing Resilience Together

What is Hazard Mitigation?


Any sustained action taken to reduce long-term risk to people and property from hazards and their effects.

Mitigation actions include:

- Removing existing structures from floodprone areas
- Elevating or floodproofing structures
- Stormwater management
- Floodwater storage and diversion
- Flood insurance
- Building, zoning, and floodplain management codes
- Wetland and riparian area protection
- Water/Sanitary sewer system protective measures

Benefits of Hazard Mitigation Planning

- Increases public awareness and understanding of risk areas and vulnerabilities by engaging the whole community
- Provides eligibility for certain FEMA programs
- Builds partnerships with diverse stakeholders
- Identifies potential risk reduction measures
- **Improves communication and sharing of risk data and related products to all levels of government and the public**



Federal Planning Regulations

The Disaster Mitigation Act of 2000

- Establishes eligibility for FEMA Hazard Mitigation Assistance (HMA) programs
 - Plan approval is a precondition for receiving HMA grants
- Requires local governments to submit a plan to their State and FEMA for review

Title 44 Code of Federal Regulations (CFR) 201.6

- Publishes requirements for approval of local mitigation plans

Hazard Mitigation Assistance



BUILDING RESILIENT
INFRASTRUCTURE AND
COMMUNITIES (BRIC)



Contact your State Hazard Mitigation Officer (SHMO)
to learn more about the application process.



FEMA

RiskMAP
Increasing Resilience Together

EMHSD Mitigation Contacts and More

Web: https://www.michigan.gov/msp/0,4643,7-123-72297_60152---,00.html

Phone: (517) 284-3745

Matt Schnepf
State Hazard Mitigation Officer
(517) 284-3950
schnepfm1@Michigan.gov

Mike Sobocinski
State Hazard Mitigation Planner
(517) 881-2512
SobocinskiM@Michigan.gov

Want More Information?

Hazard Mitigation Planning: <https://www.fema.gov/hazard-mitigation-planning>

Hazard Mitigation Assistance: <https://www.fema.gov/hazard-mitigation-assistance>

Mitigation Planning Resources: <https://www.fema.gov/hazard-mitigation-planning-resources>



FEMA Engineering Library Data Requests

- Requests must be sent in writing to:

FEMA Engineering Library
3601 Eisenhower Ave., Ste. 500
Alexandria, VA 22304-6426

Or Fax: (703) 202-4090

- Request must include:

FIS Data Request Form
Applicable Fees
Payment Information Form

- Once the research has been completed, an information specialist will contact you to discuss the path forward.



Federal Emergency Management Agency
Washington, D.C. 20472

Flood Insurance Study (FIS) Data Requests

The Federal Emergency Management Agency (FEMA) has identified seven categories into which requests for Flood Insurance Study (FIS) backup (i.e., technical and administrative support) are separated. These categories and their associated fees are below:

Requests for Flood Insurance Backup Data	Fee
1. Portable Document Format (PDF) or Diskettes of hydrologic and hydraulic backup data for current or historical FISs	\$300, plus a \$93 per-case surcharge fee to recover the cost of library maintenance and archiving. For larger requests that require more than 4 hours of research, additional hours will be charged at \$40 per hour.
2. PDF or Mylar copies of topographic mapping developed during FIS process	\$300, plus a \$93 per-case surcharge fee to recover the cost of library maintenance and archiving. For larger requests that require more than 4 hours of research, additional hours will be charged at \$40 per hour.
3. PDF of survey notes developed during FIS process	\$300, plus a \$93 per-case surcharge fee to recover the cost of library maintenance and archiving. For larger requests that require more than 4 hours of research, additional hours will be charged at \$40 per hour.
4. PDF of individual Letters of Map Change (LOMCs)	\$40 for first letter; \$10 for each additional letter in the same request. Requesters will be notified about availability of the data and the fees associated with the requested data.
5. PDF of preliminary map panels	\$35 for first panel; \$2 for each additional panel in the same request. Requesters will be notified about availability of the data and the fees associated with the requested data.
6. DVDs of Digital Line Graph files, FIRM files or Digital LOMR attachment files	\$150 per county or Digital LOMR attachment shape file. Requesters will be notified about availability of the data and the fees associated with the requested data.
7. Computer diskettes and user manuals for FEMA computer programs	\$25 per copy. Requesters will be notified about availability of the data and the fees associated with the requested data.


As shown in the table above, for Categories 1-3, an initial fee of \$300 is required to initiate the request and required before the requested data will be provided. If the data requested are available and the request is not cancelled, the final fee is calculated as a sum of the standard per-product charge plus a per-case surcharge of \$93, to help recover library maintenance and archiving costs. The total costs of processing requests in Categories 1- 3 will vary based on the complexity of the research involved in retrieving the data and the volume and medium of the data to be reproduced and distributed. The initial flat fee will be applied against the total costs to process the request, and FEMA will invoice the requester for the balance plus the per-case surcharge before the data are provided. No data will be provided to a requester until all required fees have been paid.

For Categories 4- 7, there is no initial fee to initiate a request for data. Requesters will be notified about the availability of, and the fees associated with, the requested data.



Mapping Resources

- FEMA Flood Map Changes Viewer
 - www.msc.fema.gov/fmcv
- Preliminary Flood Hazard Data
 - www.fema.gov/view-your-communitys-preliminary-flood-hazard-data
- Steady State Program
 - www.msc.fema.gov



Questions and Additional Information

Visit:

www.greatlakescoast.org

www.fema.gov/preliminaryfloodhazarddata

FEMA Region V

Ken Hinterlong

312-408-5529

Ken.Hinterlong@fema.dhs.gov

STARR II (Contractor)

Lisa Bailen

502-212-5072

Lisa.Bailen@stantec.com

NFIP Region V BSA Manager

Catrina Covino

260-417-9254

Catrina.Covino@fema.dhs.gov

FEMA Region V

John Wethington

312-408-5485

John.Wethington@fema.dhs.gov



Question & Answer Session



FEMA

RiskMAP
Increasing Resilience Together